


STRATA 12/20/35 - 1200mm x 2500mm

CHARACTERISTICS


Perforation Type:	12mm/20mm/35mm
Board Thickness:	1/2" (12.5mm)
Non-woven Fabric Backing:	Black
Finish:	Unfinished paper face
Open Area:	9.8%
Weight:	1.76 lbs / s.f.

SOUND ABSORPTION COEFFICIENT(α)



FREQUENCY (Hz)

Cavity Depth 2" Felt Only	0.20	0.40	0.70	0.35	0.35	0.30
Cavity Depth 8" Felt Only	0.45	0.60	0.70	0.50	0.35	0.30
Cavity Depth 2" with 2" fiberglass	0.30	0.55	0.80	0.85	0.60	0.65
Cavity Depth 8" with 2" fiberglass	0.45	0.65	0.70	0.60	0.45	0.35




STRATA 8/15/20 - 1200mm x 1875mm

CHARACTERISTICS


Perforation Type:	8mm/15mm/20mm
Board Thickness:	1/2" (12.5mm)
Non-woven Fabric Backing:	Black
Finish:	Unfinished paper face
Open Area:	9.9%
Weight:	1.76 lbs / s.f.

SOUND ABSORPTION COEFFICIENT(α)



FREQUENCY (Hz)

Cavity Depth 2" Felt Only	0.15	0.40	0.70	0.75	0.45	0.40
Cavity Depth 8" Felt Only	0.35	0.75	0.75	0.55	0.40	0.30
Cavity Depth 2" with 2" fiberglass	0.35	0.45	0.55	0.55	0.40	0.45
Cavity Depth 8" with 2" fiberglass	0.60	0.85	0.80	0.65	0.45	0.30




STRATA 8/15/20 - 1200mm x 2500mm

CHARACTERISTICS


Perforation Type:	8mm/15mm/20mm
Board Thickness:	1/2" (12.5mm)
Non-woven Fabric Backing:	Black
Finish:	Unfinished paper face
Open Area:	9.9%
Weight:	1.76 lbs / s.f.

SOUND ABSORPTION COEFFICIENT(α)



FREQUENCY (Hz)

Cavity Depth 2" Felt Only	0.15	0.40	0.70	0.75	0.45	0.40
Cavity Depth 8" Felt Only	0.35	0.75	0.75	0.55	0.40	0.30
Cavity Depth 2" with 2" fiberglass	0.35	0.45	0.55	0.55	0.40	0.45
Cavity Depth 8" with 2" fiberglass	0.60	0.85	0.80	0.65	0.45	0.30




STRATA 12/20/35 - 1299mm x 1875mm

CHARACTERISTICS

Perforation Type:	12mm/20mm/35mm
Board Thickness:	1/2" (12.5mm)
Non-woven Fabric Backing:	Black
Finish:	Unfinished paper face
Open Area:	9.8%
Weight:	1.76 lbs / s.f.

SOUND ABSORPTION COEFFICIENT(α)



FREQUENCY (Hz)

Cavity Depth 2" Felt Only	0.20	0.40	0.70	0.35	0.35	0.30
Cavity Depth 8" Felt Only	0.45	0.60	0.70	0.50	0.35	0.30
Cavity Depth 2" with 2" fiberglass	0.30	0.55	0.80	0.85	0.60	0.65
Cavity Depth 8" with 2" fiberglass	0.45	0.65	0.70	0.60	0.45	0.35

